

NOT OF STANDARD QUALITY ALERT FOR THE MONTH OF JUNE – 2024.

B. State Laboratories							
S.No	Product/Drug Name	Batch No.	Manufacturing Date	Expiry Date	Manufactured By	NSQ Result	Reported by CDSCO Laboratory
1.	Liquid Paraffin IP	EP4032	01/24	12/26	Repacked by :- Kerala State Drugs & Pharmaceuticals Ltd, Kalavoor.P.O, Alappuzha	It fails the test light absorption as per IP	Drugs Testing Laboratory Thiruvananthapuram
2.	Losartan Potassium Tablets IP 50 mg	HLOA06	11/23	10/25	Hindustan Antibiotics Ltd, at II, W.E.A, Faridabad- 121 001(Haryana) R.O, Pimpri, Pune -411 018	It fails the test 'Dissolution' as per IP	Drugs Testing Laboratory Thiruvananthapuram
3.	Amloheart-AT [Amlodipine Besylate and Atenolol Tablets]	LE223030	03/23	02/25	Lividus Pharmaceuticals pvt.Ltd, ikeva, Level2, Agnito Tech park,141 Kandachavadi, Near, Perungudi, OMR, Chennai-600096	It fails the test 'Assay' of Amlodipine Besylate	Drugs Testing Laboratory Thiruvananthapuram
4.	Bacotil-200 [Cefpodoxime Proxetil Tablets USP]	ZTB-148	03/24	02/26	Zenith Healthcare Ltd works: 388/34, ChangodarInd. Estate, Sarkhej Bavla Highway, Changodar- 382213 (Gujarat)	It fails the test 'Dissolution' as per USP	Drugs Testing Laboratory Thiruvananthapuram
5.	Oseltamivir Cap IP 75 mg	D 0444/24-25			Supplied by Kerala Medical Services	The sample does not conform to IP	Drugs Testing Laboratory

					Corporation Ltd, Thycaud P.O, Thiruvananthapuram-14	standard with respect to the 'Descriptive part' of hard gelatin capsules	Thiruvananthapura m
6.	Haridrakhandam	207/23	03/24	02/26	Bhaskaravilasam Vaidyasala, Panayamuttom, Nedumangadu Thiruvananthapuram 695 561	It fails the test 'pH' as per API	Drugs Testing Laboratory Thiruvananthapura m
7.	Yogarajaguggulu	209/21	03/22	3 yrs from the date of mfg	Bhaskaravilasam Vaidyasala, Panayamuttom, Nedumangadu, Thiruvananthapuram 695 561	It fails the test 'Alcohol soluble Extractive and pH' as per API	Drugs Testing Laboratory Thiruvananthapura m
8.	CANDITRAL 100 (ITRACONAZOLE CAPSULE B.P. 100 MG)	5230123	Jan-23	Jun-25	GLENMARK PHARMACEUTICALS LTD.	THE SAMPLE DOES NOT COMPLY WITH B P REQUIREMENTS FOR DISSOLUTION TEST	Maharashtra
9.	Lytraco 200 Itraconazole Capsules 200 mg	SLP-22445	Feb-23	Jan-25	STERLIFE PHARMA PVT. LTD.	THE SAMPLE DOES NOT COMPLY WITH B P REQUIREMENTS FOR DISSOLUTION TEST THE SAMPLE IS OFFICIAL IN B P 2021 THEREFORE THE SAMPLE IS	Maharashtra

						MISBRANDED VIDE SECTION 17(b) AND RULE 96 OF THE DRUGS AND COSMETICS ACT 1940 AND RULES 1945.	
10.	MONTOR -LC TABLET (MONTELUKAST SODIUM & LEVOCETIRIZINE DIHYDROCHLORI DE TABLET I.P.)	B18523001	Jan-23	Dec-24	TORQUE PHARMACEUTICALS PVT. LTD.	THE SAMPLE DOES NOT COMPLY WITH I P REQUIREMENTS FOR DISSOLUTION TEST	Maharashtra
11.	MONTICET-L Tablets (Montelukast & Levocetirizine Hydrochloride Tablets)	TP-7581	Sep-22	Aug-24	TICOMA PHARMACIA	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR DISSOLUTION TEST FOR MONTELUKAST. THE SAMPLE IS OFFICIAL IN 1 P 2018 THEREFORE THE SAMPLE IS MISBRANDED VIDE SECTION 17(b) AND RULE 96 OF THE DRUGS AND COSMETICS ACT 1940 AND RULES 1945.	Maharashtra
12.	Levocetirizine Dihydrochloride & Montelukast Sodium Tablets I.P. Zeemont	T22H370C	Aug-22	Jul-24	Bajaj Formulations	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR DISSOLUTION	Maharashtra

						TEST FOR MONTELUKAST.	
13.	VolKast Kid Syrup 60 ml.	ABS- 2301022	Jan-23	Dec-24	Amentis Biotech Pvt. Ltd.	CONTENT OF MONTELUKAST AND LEVOCETIRIZINE HYDROCHLORIDE IN THE SAMPLE IS LESS (i.e. MONTELUKAST IS 10.50% AND LEVOCETIRIZINE HYDROCHLORIDE IS 71.88% OF THE STATED AMOUNT) THAN THE PERMISSIBLE LIMITS.	Maharashtra
14.	Levetiracetam Tablets U.S.P.500 Mg (LEVEEG-500)	T23D050A	Apr-23	Mar-25	BAJAJ FORMULATIONS	THE SAMPLE DOES NOT COMPLY WITH USP REQUIREMENTS FOR DISSOLUTION.	Maharashtra
15.	M2 Pan-DSR (Pantoprazole Gastro-resistant & Domperidone Prolonged-release Capsules IP)	CWHC-283	Oct-22	Sep-24	COSWAY PHARMACEUTICALS	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR DISSOLUTION OF PANTOPRAZOLE AT ACID STAGE	Maharashtra
16.	Omeford - 40	SNT-220421	Sep-22	Aug-24	SVR HEALTHCARE (A GMP Certified Company)	THE CONTENT OF OMEPRAZOLE IN THE SAMPLE IS LESS (i.e. 40.84% OF LABELLED	Maharashtra

						AMOUNT) THAN THE SCHEDULE V LIMITS	
17.	COZOL-D(Omeprazole with Domperidone Capsules)	AC1952	Jul-23	Jun-25	ALICON PHARMACEUTICAL PVT LTD	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR OMEPRAZOLE AND DOMPERIDONE CAPSULES FOR THE DISSOLUTION TEST (OMEPRAZOLE). THE SAMPLE IS OFFICIAL IN IP.	Maharashtra
18.	DRPLAN-DSR (Pantoprazole Gasto-resistant & Domperidone Prolonged-release Capsules IP)	AC2209003A	Sep-22	Aug-24	ADDII BIOTECH PVT. LTD.	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR PANTOPRAZOLE AND DOMPERIDONE CAPSULES FOR THE DISSOLUTION TEST (PANTOPRAZOLE)	Maharashtra
19.	SOFTOM-D Omeprazole and Domperidone Capsules IP	UD2C-23252B	Apr-23	Mar-25	ULTRA DRUGS PVT. LTD. (UNIT-II)	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR OMEPRAZOLE AND	Maharashtra

						DOMPERIDONE CAPSULES FOR THE DISSOLUTION TEST (OMEPRAZOLE).	
20.	OMEPRAZOLE & DOMPERIDONE CAPSULES (REMIZOLE-D)	SPC230578 C	Mar-23	Feb-25	SALUS PHARMACEUTICALS	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR OMEPRAZOLE AND DOMPERIDONE CAPSULES FOR THE DISSOLUTION TEST (OMEPRAZOLE).	Maharashtra
21.	PANTOPRAZOLE (EC) & DOMPERIDONE (SR) CAPSULES IP (PANTIAC-DSR)	PTRC-149	Feb-23	Jan-25	IOSIS REMEDIES PVT. LTD.	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR PANTOPRAZOLE AND DOMPERIDONE CAPSULES FOR THE DISSOLUTION TEST (PANTOPRAZOLE)	Maharashtra
22.	DYNACID SUSPENSION (aluminium, magnesium & simethicone oral suspension IP.)	BULH23008	Apr-23	Mar-25	Leeford Healthcare Ltd.	1) THE SAMPLE DOES NOT COMPLY WITH I.P. REQUIREMENTS FOR TOTAL AEROBIC VIABLE	Maharashtra

						COUNT IN TEST FOR MICROBIAL CONTAMINATION. 2) TOTAL AEROBIC VIABLE COUNT OF THE SAMPLE IS 20993128 CFU/GM. (1.P. LIMIT-TOTAL AEROBIC VIABLE COUNT OF THE SAMPLE - NOT MORE THAN 100 CFU/GM)	
23.	ELTHROM-200 (Azithromycin oral suspension IP) 15ML	G-042/5045	May-23	Apr-25	ELFIN DRUGS PVT. LTD.	CONTENT OF AZITHROMYCIN IN THE SAMPLE IS LESS (72.96% OF LABELLED AMOUNT) THAN THE IP LIMIT WITH RESPECT TO ABOVE PROTOCOL. (IP LIMIT-90.0%-110.0%)	Maharashtra
24.	Alpracan 0.5 Tablets (Alprazolam Tablets)	T2455	Oct-22	Sep-25	Evolet Pharmaceutical Pvt. Ltd.	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR ALPRAZOLAM TABLETS FOR THE DISSOLUTION TEST WITH RESPECT TO ABOVE PROTOCOL.	Maharashtra

25.	RABEPP TABLETS (Rabeprazole Sodium Tablets IP)	ATG2K135	Nov-22	Oct-24	ANROSE PHARMA	CONTENT OF RABEPRAZOLE SODIUM IM THE SAMPLE IS LESS (65.04% OF THE LABELLED AMOUNT) THAN THE IP LIMIT WITH RESPECT TO ABOVE PROTOCOL. (IP LIMIT 90.0% - 110.0%)	Maharashtra
26.	INFI-650 TABLETS (PARACETAMOL TABLETS I.P. 650 mg)	AT-100008	Dec-22	Nov-25	ABARIS HEALTHCARE	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR DISSOLUTION TEST.	Maharashtra
27.	CUCID-DM	CDMC501	May-23	Apr-25	TULBROS FORMULATIONS	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR DISSOLUTION TEST FOR OMEPRAZOLE IN ACID STAGE.	Maharashtra
28.	Virpan-40	T-2306031A	Jun-23	May-25	WHITE ENGLE LABORATORIES	THE SAMPLE DOES NOT COMPLY WITH IP REQUIREMENTS FOR DISSOLUTION IN BUFFER STAGE.	Maharashtra
29.	Pantakos-40 (Pantoprazole	CCT231092 B	Sep-23	Aug-25	Cent Cure Pvt Ltd.	THE SAMPLE DOES NOT	Maharashtra

	Gastro-resistant Tablets IP)					COMPLY WITH IP REQUIREMENTS FOR DISSOLUTION IN BUFFER STAGE.	
30.	Rosumep ASP 10/75mg Capsules	PBWGM04	Sep-23	Aug-25	Pure & Care Healthcare Pvt. Ltd.	THE SAMPLE DOES NOT COMPLY WITH IP FOR THE TEST "RELATED SUBSTANCES – ROSUVASTATIN".	Maharashtra

NOTE:

1. NSQ data was not received as per Format & in EXCEL SHEET from State Drugs Licensing Authorities of Rajasthan (PDF format) and Orissa (PDF Format). for the Month of June, 2024 as per DCG(I) Circular dated 09.02.2024.
2. State Drugs Licensing Authorities of Andhra Pradesh, Arunachal Pradesh, Assam, Bihar, Chhattisgarh,Goa,Gujarat, Haryana, Himachal Pradesh, Manipur, Meghalaya, Mizoram, Nagaland, Odisha, Punjab, Sikkim, Tamil Nadu, Pondicherry,Telangana,Delhi,Uttarakhand, West Bengal, Andaman & Nicobar, Dadar and Nagar Haveli; Daman and Diu, Lakshadweep have not submitted any data in respect of the Not of Standard Quality (NSQ) Alert for the Month of June, 2024 as per DCG(I) Circular dated 09.02.2024.